

PRODUCT DATA SHEET

ACON™ CLEANER STD

SUITABILITY:

For the removal of cementitious residues and protective wax coatings from hard substrates.

DILUTION:

For cementitious residue removal on;

Ceramic	Dilute	1:20 - 1:30
Glazed porcelain	Dilute	1:20 - 1:30
Porcelain and granite	Dilute	1:5 - 1:15
Sandstone, limestone, terracotta	Dilute	1:10
For protective wax film removal from porcelain		Use neat
For light soiling	Dilute	1:20
For general cleaning of porcelain and granite hard floors	Dilute	1:30
For general cleaning of ceramic and glazed porcelain	Dilute	1:50
For brass cleaning	Dilute	1: 5
For stainless steel cleaning	Dilute	1:15

Not suitable for marble, enamels and delicate surfaces

APPLICATION:

- Apply by mop or autoscrubber in dilutions above with clean water for excess grout and cementitious residue removal and allow to soak for approximately 1 - 2 minutes
- Remove with a single disc or autoscrubber or manually with a soft broom. Remove all suspended residues with a wet extraction machine. Rinse area well with clean water
- When using in high concentration neutralize with SPECKLEEN® Q500™
- It is recommended that a defoaming agent be used with wet extraction equipment. Not necessary when using ACON Lo Foam
- Available in hi and low foam format

SAFETY:

- Use eye protection, rubber gloves, acid resistant clothing and safety shoes
- Use respiratory masks with organic filters if required
- Rinse eyes with copious amounts of clean water
- Do not ingest - contains acids

FIRE:

- CO₂, Foam, Dry Chemical And Water Fog. Can produce CO and NOX gases.

SMALL SPILLS:

- Rinse area with copious amounts of 5% bicarbonate solution until the ph is 5 – 9.
- Rinse area with copious amounts of fresh water.

LARGE SPILLS:

Absorb with earth and/or shovel up into suitable waste containers and dispose into a prescribed waste disposal site. Subsequently treat the area as for small spills.

COLOUR: Clear

PH: 2 - 4

The information in this publication is based on tests that we believe to be reliable. It is the responsibility of the user to ascertain the suitability of the product to the situation since conditions of use are outside of our control and therefore all expressed or implied warranties are confined only to the replacement of product found to be defective upon receipt of goods by purchaser. Written representation for faulty goods must be made to the supplier within 7 days of receipt of product. All products/names are the registered property of SPECKLEEN®

Phone: +27 11 793 3341 **Fax:** +27 11 793 3342 **Mobile:** 082 410 6181

E-mail: info@speckleen.co.za | www.speckleen.co.za

4 Retief Place, Northwold, Randburg, Johannesburg, Gauteng, SOUTH AFRICA
P. O. Box 2553 Honeydew, Johannesburg, Gauteng, SOUTH AFRICA, 2040